



# Stonehenge cabinets



For more information contact: Arkansas Wood Doors

[www.arkansaswooddoors.com](http://www.arkansaswooddoors.com) | 479-968-5486 | [order@arkansaswooddoors.com](mailto:order@arkansaswooddoors.com)

# Base Cabinets


Face Frame

Frameless

BC


## Base Cabinet

This base cabinet has no drawers. Available with adjustable shelves or rollouts.



Width: 9" – 42"  
Height: 21" – 42"  
Depth: 9" – 30"


Width: 7" – 42"  
Height: 21" – 42"  
Depth: 9" – 30"



BCD1


## Base Cabinet 1 Drawer

This base cabinet has a drawer opening of 5." Available with adjustable shelves or rollouts.



Width: 9" – 42"  
Height: 21" – 42"  
Depth: 15" – 30"


Width: 7" – 42"  
Height: 21" – 42"  
Depth: 15" – 30"



BCD2


## Base Cabinet 2 Drawer

This base cabinet has two drawers of equal sizes.



Width: 9" – 42"  
Height: 21" – 42"  
Depth: 15" – 30"

Width: 7" – 42"  
Height: 21" – 42"  
Depth: 15" – 30"



# Base Cabinets


## Face Frame

### BCD3

#### Base Cabinet 3 Drawer


This is a 3 drawer base cabinet, with the top drawer opening being 5" and the bottom two with an equal height.

Width: 9" – 42"  
Height: 27" – 42"  
Depth: 15" – 30"



## Frameless

Width: 7" – 42"  
Height: 27" – 42"  
Depth: 15" – 30"



### BCD4


#### Base Cabinet 4 Drawer

This is a 4 drawer cabinet, with top drawer opening being 5" and the bottom 3 drawers are equal heights.

Width: 9" – 42"  
Height: 33" – 42"  
Depth: 15" – 30"



Width: 7" – 42"  
Height: 33" – 42"  
Depth: 15" – 30"



### BCFF


#### Base Cabinet False Drawer Front

This cabinet has a false drawer front. Available with adjustable shelves or rollouts. 5" top false drawer opening.

Note: Farm Sinks Cabinets are available: BCFF Farm. Need to specify the sink height

Width: 9" – 42"  
Height: 21" – 42"  
Depth: 9" – 30"


Width: 7" – 42"  
Height: 21" – 42"  
Depth: 9" – 30"



# Base Cabinets

## BCCOR


Face Frame



Base Cabinet Corner


This cabinet is a 45 degree base corner. It works great with a shelf or a Lazy Susan. Available with adjustable shelves. NOTE: shelf must be installed BEFORE the cabinet top.

Frameless



WIDTH: 30" – 48"    HEIGHT: 21" – 42"    DEPTH: 24" – 30"

Wall dimensions will determine cabinet opening size.



Corner cabinets width is measured by the **wall** dimension size. Depth is measured by the **side** dimension size.


# Base Cabinets

## BCANG


### Base Cabinet Angled

This cabinet is a 45 degree base angled corner. It works great with a shelf or a Lazy Susan. Available with adjustable shelves. NOTE: shelf must be installed BEFORE the cabinet top.

Face Frame




Frameless



WIDTH: 30" – 48"    HEIGHT: 21" – 42"    DEPTH: 24" – 30"

Wall dimensions will determine cabinet opening size.



Corner cabinets width is measured by the **wall** dimension size. Depth is measured by the **side** dimension size.

# Base Cabinets

## Face Frame

### BCBLCLD1

#### Base Blind Corner Left 1 Drawer


This cabinet is a blind corner base with a drawer opening of 5." It is available with adjustable shelves.

**BCBLCL:** For no drawer.



BCBLCLD1 in picture


## Frameless



BCBLCR ONLY

WIDTH: 33" – 48"    HEIGHT: 21" – 42"    DEPTH: 15" – 30"

---




BCBLCRD1 in picture

### BCBLCRD1

#### Base Blind Corner Right 1 Drawer

This cabinet is a blind corner base with a drawer opening of 5." It is available with adjustable shelves.

**BCBLCR:** For no drawer.



BCBLCR ONLY


WIDTH: 33" – 48"    HEIGHT: 21" – 42"    DEPTH: 15" – 30"

---

# Upper Cabinets

## UC

Face Frame





Width: 9" – 42"  
Height: 9" – 60"  
Depth: 8" – 30"

Upper Cabinet

This cabinet works well as an upper cabinet or bookcase. Available with adjustable shelves.

Width: 7" – 42"  
Height: 9" – 60"  
Depth: 8" – 30"


Frameless



## UCCOR


Upper Cabinet Corner

This upper corner cabinet is available with adjustable shelves.



WIDTH: 20" – 30" HEIGHT: 9" – 42" DEPTH: 8" – 30"


Wall dimensions will determine cabinet opening size.



Corner cabinets width is measured by the **wall** dimension size. Depth is measured by the **side** dimension size.

# Upper Cabinets

Face Frame



## UCANG

### Upper Cabinet Angled


This upper angled corner cabinet available with adjustable shelves.

Frameless



WIDTH: 20" – 30"    HEIGHT: 9" – 42"    DEPTH: 8" – 30"

Wall dimensions will determine cabinet opening size.




Corner cabinets width is measured by the **wall** dimension size. Depth is measured by the **side** dimension size.



# Upper Cabinets

Face Frame




**UCBLCL**

Upper Cabinet Blind  
Corner Left

This right blind corner cabinet is available with adjustable shelves.

WIDTH: 21" – 47"  
HEIGHT: 9" – 42"  
DEPTH: 8" – 30"

Frameless





**UCBLCR**

Upper Cabinet Blind  
Corner Right


This left blind corner cabinet is available with adjustable shelves.

WIDTH: 21" – 47"  
HEIGHT: 9" – 42"  
DEPTH: 8" – 30"



# Tall Cabinets

## Face Frame




TC

## Tall Cabinet


This works great with rollouts in the lower section or adjustable shelves in either the upper or lower section.

Note: Fixed shelf can be moved, will need specify an opening size you desire.

## Frameless




WIDTH: 18" – 42"    HEIGHT: 64" – 95"    DEPTH: 15" – 30"



TCREF72

## Tall Cabinet Refrigerator

\* This tall cabinet is designed for a built in appliance look. Available with no shelves. The legs of this cabinet are fixed at 72" below the cabinet. Specify the overall height of the cabinet.




WIDTH: 18" – 42"    HEIGHT: 82"-95"    DEPTH: 24" – 30"

\* Is a fixed shelf.

# Specifications

## Base Cabinets:

	FF	EURO
Top Drawer Opening	5"	5"
Toe Kick Height	4"	4"
Toe Kick Depth	3"	3"
All Rails and Stiles	1.5"	N/A




TOE KICK NOT  
EDGEBANDED\*

\* We offer 4" X 96" X 1/4" toe kick cover, See order form.

## Upper Cabinets:

2.25" Top Rail  
1.5" Stiles and Bottom Rail



## Tall Cabinets:

2.25" Top Rail  
1.5" Stiles and Bottom Rail

# Drawer Box Options

## Standard

### AWD Standard Drawer Box

All 5 components of our Standard Drawer Box are made using 5/8" UV2S Plywood with blind tenon on all joints. Pocket screw holes machined on front & back for assembly, screws included. Top edge has clear finish veneer edge band applied. Back of drawer box is flush with bottom with 5mm hole drilled to allow use with most under mount guides. Standard Drawer Boxes are supplied Ready To Assemble.



## Dovetail

### Dovetail Drawer Box

Solid 5/8" Natural Maple side with 1/4" bottoms, all with clear lacquer finish applied and supplied assembled. Options include notch for under mount guides, 3/8" bottom, and other wood species.





Stonehenge  
cabinets

Thank you for choosing Stonehenge **Ready To Assemble** Cabinets as your choice of custom fabricated cabinets.

The choice will be clear that you have purchased one of the very best fabricated boxes on the market.

You will discover the quality and ease of assembly that are associated with our **RTA** cabinets.

Identification labels, pre- drilled screw holes, and locations for drawer guide mounting are just some of the features you will find in our cabinet components.

Thank you for considering Stonehenge **RTA** cabinets to better help your business in today's market. We are one of only a few companies that can provide your complete needs in Face Frame, or Frame-less style cabinets; boxes only **OR** complete with doors, drawer boxes, and hardware. Shipped to you finished or unfinished .

Wood species available for cabinet box interiors:

5/8" Clear Finished 2 Sided Plywood

Plywood, No Finish

White Melamine

Maple Melamine

For more information please visit  
[www.arkansaswooddoors.com](http://www.arkansaswooddoors.com)

# Stonehenge RTA Cabinet Box Specifications

## General Information:

- Face Frame or Frameless construction.
- Many box configurations available.
- Custom sized within our listed limitations.
- Standard box material is 5/8" Plywood with UV2S finish.
- Optional box materials, White or Maple melamine.
- Cabinets with adj. shelves comes with 5mm metal shelf pins.
- Design allows for quick/easy assembly on site.
- Finished End options include sanded Veneer applied to cabinet side.
- Customer must specify if toe kick cover required and qty (supplied in 8' length.)
- Most any wood species available for Face Frames.
- Face Frames attach with supplied cam fittings.
- Face Frames stiles are sized to have a 1/4" scribe.
- Face Frames are sanded to 180 grit (hand sanding recommended before finishing), same as our doors, drawer fronts, and veneered finished ends.

# STONEHENGE CABINET BOXES

## PRICE INCLUDE:

- \*5/8" UV2S Plywood
- \* Screw Assembly
- \* Shelf/Shelves with Metal Clips
- \*Standard RTA style Drawer Boxes, 5/8" UV2S Plywood
- \*All Assembly Hardware
- \*Face Frames With Rafix Connectors
- \*Custom size, use next box size up for price. i.e. UC2537 will be found under UC2740.

## CABINET CODES:

EXAMPLE: UC2436 = Wall Cabinet 24" wide by 36" high by 12" deep.

- \*Letter (UC) represents cabinet box style from our library.
- \*First set of numbers (24) represents the width of cabinet.
- \*Second set of numbers (36) represents the height of cabinet.
- \*UC2537 = Wall cabinet 25" wide by 37" high by 12" deep.  
(Price will be found under UC2740)

**NOTE:** Unless otherwise indicated in our cabinet code, we offer the following as Standard Depths on all of our cabinets:

- \* All "U" (upper cabinets) 12" Deep
- \* All "B" (base cabinets) 24" Deep
- \* All "T" (tall cabinets) 24" Deep
- \* Face Frame style cabinets will be sized by the Face Frame; standard Face Frame Have 1/4" Scribe included in the dimension.

## CUSTOM CABINET DEPTH:

If custom cabinet depth is required, indicate by; UC 2436/15. This would indicate a 15" deep cabinet. Custom Cabinet depth will be priced as regular cabinet +20%

# RTA CABINET ORDER FORM

 QUOTE

 ORDER

DATE \_\_\_\_\_

NAME:	JOB OR PO#
SHIPPING ADDRESS:	MAILING ADDRESS:
PHONE:	FAX:
	EMAIL:

CABINET DETAILS	
<input type="checkbox"/> FACEFRAME (1/2" OVERLAY STANDARD)	<input type="checkbox"/> OTHER OVERLAY _____
<input type="checkbox"/> FRAMELESS (1/8" REVEAL STANDARD)	<input type="checkbox"/> OTHER REVEAL _____

MATERIAL
<input type="checkbox"/> BIRCH PLYWOOD UV 2 SIDES
<input type="checkbox"/> MAPLE MELAMINE
<input type="checkbox"/> WHITE MELAMINE

DRAWER BOXES
<input type="checkbox"/> STANDARD DRAWER BOX
<input type="checkbox"/> DOVETAIL DRAWER BOX
<input type="checkbox"/> NO DRAWER BOXES

DRAWER HARDWARE
<input type="checkbox"/> EPOXY SIDE HARDWARE 3/4 EXTENSION
<input type="checkbox"/> SIDE MOUNT SOFT CLOSE FULL EXTENSION
<input type="checkbox"/> SOFT UNDERMOUNT

HINGES
<input type="checkbox"/> SOFT CLOSE (STANDARD)
<input type="checkbox"/> SELF CLOSE

 TOE KICK

 NO TOE KICK

DOOR AND DRAWER FRONT STYLES
<input type="checkbox"/> NO DOORS OR DRAWER FRONTS BOX ONLY
WOOD SPECIE _____
DOOR DESIGN _____
DRAWER FRONT DESIGN _____
EDGE PROFILE _____
PANEL PROFILE _____
FRAME PROFILE _____

FINISHING	
<input type="checkbox"/> NO FINISH	<input type="checkbox"/> STAIN _____
<input type="checkbox"/> CLEAR	<input type="checkbox"/> MATCH PAINT COLOR _____
<input type="checkbox"/> WHITE LACQUER	<input type="checkbox"/> GLAZE _____

ACCESSORIES	
<input type="checkbox"/> TOE KICK 4" X 96" X 1/4"	QTY _____
<input type="checkbox"/> CROWN 8' LENGTHS	QTY _____ STYLE _____
OTHER _____	
OTHER _____	
OTHER _____	
OTHER _____	

Order in 1/16" or 1mm increments, Tolerance +/- 1/16" (2mm)



# RTA CABINET -ORDER FORM

	QTY	CABINET STYLE	WIDTH	X	HEIGHT	X	DEPTH	FINISHED END?		NOTES : SPECIAL REQUIREMENTS
								LEFT	RIGHT	
A				X		X				
B				X		X				
C				X		X				
D				X		X				
E				X		X				
F				X		X				
G				X		X				
H				X		X				
I				X		X				
J				X		X				
K				X		X				
L				X		X				
M				X		X				
N				X		X				
O				X		X				
P				X		X				
Q				X		X				
R				X		X				

NOTES \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Order in 1/16" or 1mm increments, Tolerance +/- 1/16" (2mm)